


ABSOLUTE



ABSØLUTE

A

“Definisci il tuo stile e la tua personalità”



“You define your style and your personality”





8 FORMATI

120x120
60x120
20x120
80x80
40x80
60x60
30x60
10x30

pag. 6



3 TEXTURE

CEMENT
WOOD
ELEMENTS

pag. 7



6 TINTE MORBIDE

TAUPE
IVORY
WHITE
ICE
GREY
SMOKE

pag. 8



3 TINTE FORTI

EARTH
CORTEN
PETROL

pag. 9



“L'unico ostacolo è la tua immaginazione”


“The only obstacle is your imagination”

8


Formati Size

CEMENT

120x120 - 48"x48" R10



80x80 - 32"x32" R10



40x80 - 16"x32" R10



10x30 - 4"x12" R10



60x120 - 24"x48" R10/R11



60x60 - 24"x24" R10



30x60 - 12"x24" R10



ELEMENTS

60x120 - 24"x48" R10




WOOD

20x120 - 8"x48" R10



3

Texture **Texture**





6

Tinte Morbide

Soft Colors



Tinte Forti

Strong Colors





B



S





“ABSØLUTE è
Rock e Classico”
“ABSØLUTE is Rock and Classic”

O







L




U


















E







WALL





A





L

LEGENDA RECAP

ABSOLUTE



WALL Elements Petrol 60x120
FLOOR Cement Grey 80x80



WALL Cement Taupe 120x120
FLOOR Cement Taupe 120x120



WALL Wallbrick 30x90
FLOOR Cement Grey 120x120



WALL Wood Ivory 20x120
FLOOR Elements Corten 60x120



WALL Cement Smoke 40x80
SHOWER Cement Smoke 5x5 mosaico
FLOOR Cement Smoke 80x80



WALL Cement Taupe 60x120
FLOOR Elements Corten 60x120



WALL Elements Earth 60x120
FLOOR Wood Grey 20x120



FLOOR Cement Grey 60x60



WALL Cement Ice 10x30
FLOOR Cement Grey 60x120



BAR Elements Earth 60x120
FLOOR Elements Corten 60x120



FLOOR Elements Petrol 60x120



WALL Elements Petrol 60x120
FLOOR Elements Petrol 60x120 / Wood Ivory 20x120



WALL Elements Petrol 60x120 - Wood White 20x120
FLOOR Cement Smoke 60x120



WALL Cement Smoke 5x5 mosaico
FLOOR Wood Ice 20x120



WALL Cement White 60x120
FLOOR Wood Ivory 20x120

▼ wall



WALL Decoro Pine Taupe 30x90
FLOOR Wood Ivory 20x120



WALL Ivory 30x90, Righe Earth 30x90
FLOOR Planet Noce 20x120



WALL Decoro Corten 30x90, Taupe 30x90
FLOOR Elements Petrol 60x120



WALL Elements Earth 60x120
RECEPTION Elements Corten 60x120, Bacchetta Bronzo 0.3x1x120
FLOOR Cement White 60x120 81,915 % / mq
Wood Taupe 20x120 18,085 % / mq



WALL Cement White 60x120/30x60
FLOOR Cement White 60x120 - Elements Earth 60x120



WALL Cement Taupe 80x80
FLOOR Wood Taupe 20x120



WALL Decoro Tetrys 30x90
FLOOR Wood White 20x120



WALL Decoro Pine Grey 30x90, Grey 30x90



WALL Ice 30x90, Muretto Silver 30x90
FLOOR Cement Smoke 80x80

CEMENT FORMATI . SIZES


120x120 48"x48"



Rectified R10
± 9 mm
2x **170**

8001859 White
8001861 Ivory
8001860 Ice
8001862 Grey

60x120 24"x48"



Rectified R10
± 9 mm
2x **149**


8000143 White
8000139 Ivory
8000142 Taupe
8000137 Ice
8000135 Grey
8000141 Smoke

Rectified R11
± 20 mm *
1x **174**

8001816 Ivory
8001817 Taupe
8001818 Ice
8001819 Grey

* Raccomandazioni di posa a fine catalogo
Laying recommendations at the end of the catalogue


80x80 32"x32"



Rectified R10
± 9 mm
2x **149**

8000162 White
8000159 Ivory
8000161 Taupe
8000158 Ice
8000157 Grey
8000160 Smoke


40x80 16"x32"



Rectified R10
± 9 mm
3x **149**

8000134 White
8000131 Ivory
8000133 Taupe
8000130 Ice
8000129 Grey
8000132 Smoke

60x60 24"x24"



Rectified R10
± 9 mm
3x **130**

8000150 White
8000147 Ivory
8000149 Taupe
8000146 Ice
8000145 Grey
8000148 Smoke

CEMENT FORMATI . SIZES

30x60 12"x24"



Rectified R10
± 9 mm
6x **130**

8000128 White
8000125 Ivory
8000127 Taupe
8000124 Ice
8000123 Grey
8000126 Smoke

10x30 4"x12"




Rectified R10
± 9 mm
32x **169**

8000121 White
8000118 Ivory
8000120 Taupe
8000117 Ice
8000116 Grey
8000119 Smoke

CEMENT DECORI DECORS

30x30 12"x12"




Mosaico 5x5 su rete
11x **35** *

8000175 White
8000172 Ivory
8000174 Taupe
8000171 Ice
8000170 Grey
8000173 Smoke

* Vendita tassativa a scatole complete. Ordine minimo 30 scatole / colore (1 pallet completo). Sale in full boxes only. Minimum order 30 boxes / color (1 full pallet).

CEMENT PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors



Battiscopa Digitale
Skirting
6x60 2.4"x24"
15x **30**

Battiscopa Digitale
Skirting
6x80 2.4"x32"
8x **48**

Gradino Lineare Costa Retta
Step
33x120x3 13"x48"x1.2"
2x **189** *

Angolare Costa Retta
Corner Step
33x120x3 13"x48"x1.2"
2x
Angolare DX/SX **190** *
Angolare DX **204** *
Angolare SX **204** *



Guarda la tabella completa dei pezzi speciali sul sito. View the complete special trims tabel at website.

* Vendita su ordinazione. Available upon request.

ABSOLUTE CEMENT	pcs/box	mq/box	kg/box	box/pallet	mq/pallet	kg/pallet
60x120 24"x48" CEMENT Rectified SP. 20 mm R11	1	0,72	32,00	32	23,04	1024,00
60x120 24"x48" CEMENT Rectified R10	2	1,44	28,40	36	51,84	1022,40
80x80 32"x32" CEMENT Rectified R10	2	1,28	24,96	40	51,20	998,40
40x80 16"x32" CEMENT Rectified R10	3	0,96	18,66	28	26,88	522,48
60x60 24"x24" CEMENT Rectified R10	3	1,08	21,30	40	43,20	852,00
30x60 12"x24" CEMENT Rectified R10	6	1,08	21,00	48	51,84	1008,00
10x30 4"x12" CEMENT Rectified R10	32	0,96	19,30	36	34,56	694,80

WHITE

IVORY

TAUPE

ICE

GREY

SMOKE

WOOD FORMATI . SIZES

20x120 8"x48"

18 Printings

Rectified R10

± 9 mm


5x

148

8002070 White
8002067 Ivory
8002069 Taupe
8002066 Ice
8002065 Grey
8002068 Smoke

WOOD DECORI DECORS

30x30 12"x12"



Mosaico 5x5 su rete

11x

35 *


8002300 White
8000211 Ivory
8000213 Taupe
8000210 Ice
8000209 Grey
8000212 Smoke

• Vendita tassativa a scatole complete. Ordine minimo 30 scatole / colore (1 pallet completo). Sale in full boxes only. Minimum order 30 boxes / color (1 full pallet).


WOOD PEZZI SPECIALI SPECIAL TRIMS



Battiscopa Digitale
Skirting
6x60 2.4"x24"
15x
30



Gradino Lineare Costa Retta
Step
20x120x3 8"x48"x1.2"
2x
189 *



Angolare Costa Retta
Corner Step
33x120x3 13"x48"x1.2"
2x
Angolare DX/SX 190 *
Angolare DX 204 *
Angolare SX 204 *



Guarda la tabella completa dei pezzi speciali sul sito. View the complete special trims tabel at website.

* Vendita su ordinazione. Available upon request.

ABSOLUTE WOOD	pcs/box	mq/box	kg/box	box/pallet	mq/pallet	kg/pallet
20x120 8"x48" WOOD Rectified R10	5	1,20	24,00	48	57,60	1152,00

ELEMENTS FORMATI . SIZES

60x120 24"x48"

6 Printings

Rectified R10

± 9 mm


2x

149

8000181 Earth
8000180 Corten
8000182 Petrol

ELEMENTS DECORI DECORS

30x30 12"x12"



Mosaico 5x5 su rete

11x

35 *


8000189 Earth
8000188 Corten
8000190 Petrol

• Vendita tassativa a scatole complete. Ordine minimo 30 scatole / colore (1 pallet completo). Sale in full boxes only. Minimum order 30 boxes / color (1 full pallet).


ELEMENTS PEZZI SPECIALI SPECIAL TRIMS



Battiscopa Digitale
Skirting
6x60 2.4"x24"
15x
30



Gradino Lineare Costa Retta
Step
33x120x3 13"x48"x1.2"
2x
189 *




Angolare Costa Retta
Corner Step
33x120x3 13"x48"x1.2"
2x
Angolare DX/SX 190 *
Angolare DX 204 *
Angolare SX 204 *



Guarda la tabella completa dei pezzi speciali sul sito. View the complete special trims tabel at website.

* Vendita su ordinazione. Available upon request.

ABSOLUTE ELEMENTS	pcs/box	mq/box	kg/box	box/pallet	mq/pallet	kg/pallet
60x120 24"x48" ELEMENTS Rectified R10	2	1,44	28,40	36	51,84	1022,40



ABSOLUTE 30x90 cm

± 8 mm



30x90 12"x36"
8000112 Absolute Ivory 10 Printings
5x 148



30x90 12"x36"
8000114 Absolute Taupe 10 Printings
5x 148



30x90 12"x36"
8000108 Absolute Decoro Corten * 10 Printings *
5x 149



30x90 12"x36"
8000195 Absolute Decoro Pine Taupe 4x * 193



30x90 12"x36"
8000111 Absolute Ice 10 Printings
5x 148



30x90 12"x36"
8000110 Absolute Grey 10 Printings
5x 148



30x90 12"x36"
8000113 Absolute Muretto Silver * 10 Printings *
5x 149



30x90 12"x36"
8000194 Absolute Decoro Pine Grey 4x * 193

ABSOLUTE 30x90 cm

± 8 mm



30x90 12"x36"
8000109 Absolute Righe Earth * 6 Printings *
5x 149



30x90 12"x36"
8000115 Absolute Decoro Tetrys * 3 Printings *
5x 149

* Vendita tassativa a scatole complete Sale in full boxes only

* MIX

I decori sono soggetti misti e sono inscatolati in modo casuale.
Decorations are mixed subjects and are randomly packed.

* Posa consigliata con fuga 2 mm. La ripresa grafica tra i decori può avere un tolleranza contenuta in 2 cm.
Recommended installation with 2 mm joint. The tile graphic between the decorations can have a tolerance included in 2 cm.

ABSOLUTE	pcs/box	mq/box	kg/box	box/pallet	mq/pallet	kg/pallet
30x90 12"x36" Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Decoro Tetrys Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Righe Earth Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Decoro Corten Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Muretto Silver Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Decoro Pine Rectified	4	1,08	-	20	-	-


NORMA DI RIFERIMENTO / SPECIFICATION REFERENCE ISO 13006/ENI4411 APPENDICE G Bla GL

Caratteristiche tecniche Technical features	Norma Norm	ABSOLUTE	
		Rettificato Rectified	± 20 mm
LUNGHEZZA E LARGHEZZA LENGTH AND WIDTH	UNI EN ISO 10545-2	CONFORME IN ACCORDANCE	
SPESSORE THICKNESS		CONFORME IN ACCORDANCE	
RETTILINEITÀ SPIGOLI STRAIGHTNESS OF SIDES		CONFORME IN ACCORDANCE	
ORTOGONALITÀ RECTANGULARITY		CONFORME IN ACCORDANCE	
PLANARITÀ SURFACE FLATNESS		CONFORME IN ACCORDANCE	
ASPETTO ASPECT		CONFORME IN ACCORDANCE	
ASSORBIMENTO D'ACQUA WATER ABSORPTION	UNI EN ISO 10545-3	≤ 0.5%	
RESISTENZA A FLESSIONE FLEXURAL STRENGTH	UNI EN ISO 10545-4	≥ 35 N/mm ²	
MODULO DI ROTTURA BREAKING STRENGTH		≥ 1300 N	
DETERMINAZIONE DELLA RESISTENZA ALL'URTO DETERMINATION OF IMPACT RESISTANCE	UNI EN ISO 10545-5	0.90	
RESISTENZA ALL'ABRASIONE (METODO PEI) ABRASION RESISTANCE (PEI-METHOD)	UNI EN ISO 10545-7	PEI 3 ÷ 5	
COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFFICIENT	UNI EN ISO 10545-8	(5.7÷5.9) X 10 ⁻⁶ /°C	
RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE	UNI EN ISO 10545-9	RESISTENTE RESISTANT	
DETERMINAZIONE DELLA DILATAZIONE DOVUTA ALL'UMIDITÀ DETERMINATION OF MOISTURE EXPANSION	UNI EN ISO 10545-10	0.0 mm/m	
DETERMINAZIONE DELLA RESISTENZA AL CAVILLO DETERMINATION OF CRAZING RESISTANCE	UNI EN ISO 10545-11	RESISTENTE RESISTANT	
RESISTENZA AL GELO FROST RESISTANCE	UNI EN ISO 10545-12	INGELIVO FROST-RESISTANT	
RESISTENZA AGLI AGENTI CHIMICI RESISTANCE TO CHEMICALS	UNI EN ISO 10545-13	MIN. CLASS B LB HB	MIN. CLASS B LB HB
RESISTENZA ALLE MACCHIE STAIN RESISTANCE	UNI EN ISO 10545-14	MINIMO CLASSE 3 MINIMUM CLASS 3	
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	DIN 51130	R10	R11
	DIN 51097	A+B	A+B+C
	C.o.F B.C.R./D.M. 236 14/6/89	>0.40	>0.40
	D.C.o.F / ANSI A326.3	>0.42	>0.42
REAZIONE AL FUOCO REACTION TO FIRE	96/603/CE	A1 _{FL} /A1	
GRADO DI VARIAZIONE CROMATICA AESTHETIC CLASSES	ANSI A137.1	V2	

POSA SOPRAELEVATA 60x120 ± 2 cm 24"x48" ± 3/4" INSTALLATION ONTO FLAT SURFACES (RAISED LAYING)

Ad oggi non esiste una normativa specifica per i pavimenti sopraelevati da esterno, si rimanda pertanto al professionista progettista un'attenta valutazione dei requisiti del progetto. MARINER suggerisce l'utilizzo di supporti aggiuntivi sotto le piastrelle (5° supporto centrale), come da schema sotto riportato.

To date, there is no existing regulatory standard regarding outdoor raised floors. Therefore, the Customer/Designer/Project Manager has to arrange for a careful assessment of the project and its requirements. MARINER recommends the adoption of additional supports under the tiles (5th central support), as per diagram below.





PARITÀ • ENERGIA • SICUREZZA • QUALITÀ • AMBIENTE

ABSOLUTE

